

RFW



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	MEYER et al.	Examiner:	Unassigned
Serial No.:	10/734,599	Group Art Unit:	3762
Filed:	December 12, 2003	Docket No.:	GUID.142PA (03-100)
Title:	CARDIAC RESPONSE CLASSIFICATION USING MULTIPLE CLASSIFICATION WINDOWS		

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence and the papers, as described hereinabove, are being deposited in the United States Postal Service, as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on June 18, 2004.

By: Kelly S. Waltigney
Kelly S. Waltigney

INFORMATION DISCLOSURE STATEMENT (37 C.F.R. §1.97(b))

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

With regard to the above-identified application, the items of information listed on the enclosed Form 1449 are brought to the attention of the Examiner.

This statement should be considered because it is submitted either within three months of the filing date or before the first Office Action of the above-identified application. Accordingly, no fee is due for consideration of the items listed on the enclosed Form 1449.

In accordance with 37 C.F.R. §1.98(a)(2), and the 05 August 2003 Official Gazette Notice, only a copy of each foreign document or non-U.S. patent/application listed on the enclosed Form 1449 is provided.

Please note that any notations or markings on the attached documents do not reflect particular relevance, or lack thereof, to the present application, nor were they necessarily made by anyone affiliated with the prosecution of the present application.

No representation is made that a reference is "prior art" within the meaning of 35 U.S.C. §§ 102 and 103 and Applicants reserve the right, pursuant to 37 C.F.R. § 1.131 or otherwise, to establish that the reference(s) are not "prior art." Moreover, Applicants do not represent that a reference has been thoroughly reviewed or that any relevance of any portion of a reference is intended.

Applicants bring to the Examiner's attention commonly owned, co-pending U.S. Applications S/N 10/733,869, filed December 11, 2003, S/N 10/735,519, filed December 12, 2003, and S/N 10/448,260, filed May 28, 2003 which may be of interest.


Consideration of the items listed is respectfully requested. Pursuant to the provisions of M.P.E.P. 609, it is requested that the Examiner return a copy of the attached Form 1449, marked as being considered and initialed by the Examiner, to the undersigned with the next official communication.


Respectfully submitted,

Crawford Maunu PLLC
1270 Northland Drive
Suite 390
St. Paul, MN 55120
651/686-6633

Date: June 19, 2004

By:


Mark A. Hollingsworth
Reg. No. 38,491

FORM 1449 	INFORMATION DISCLOSURE STATEMENT		Docket Number: GUID.142PA	Application Number: 10/734,599
	IN AN APPLICATION		Applicant: MEYER <i>et al.</i>	
	(Use several sheets if necessary)		Filing Date: 12/12/2003	Group Art Unit: 3762

U.S. PATENT DOCUMENTS						
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	6,505,071	01/07/2003	Zhu et al.			
	6,449,503	09/10/2002	Hsu			
	6,275,731	08/14/2001	Zhu et al.			
	6,192,275	02/20/2001	Zhu et al.			
	6,175,766	01/16/2001	Bornzin et al.			
	6,169,921	01/02/2001	KenKnight et al.			
	6,163,724	12/19/2000	Hemming et al.			
	6,128,535	10/03/2000	Maarse			
	6,101,416	08/08/2000	Sloman			
	5,683,431	11/04/1997	Wang			
	5,222,493	06/29/1993	Sholder			
	20030050671	03/13/2003	Bradley			
	20030083710	05/01/2003	Ternes et al.			
	20030083711	05/01/2003	Yonce et al.			
FOREIGN PATENT DOCUMENTS						
	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION
						YES NO
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)						
		Splett et al. "Determination of Pacing Capture in Implantable Defibrillators: Benefit of Evoked Response Detection Using RV Coil to Can Vector," <i>PACE</i> , Vol. 23, pp. 1645-50.				

EXAMINER	DATE CONSIDERED
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	